IN THE CLAIMS

Please amend the claims as indicated in the rewritten claims listed below:

Claim Amendments:

1. (Currently amended) A method for responding to a request to transfer an outgoing data frame from a virtual computer system to a computer network, the outgoing data frame comprising at least data to be transmitted and at least one of a layer 2 and layer 3 destination address, the virtual computer system comprising one or more virtual machines (VMs) executing on a host platform via virtualization software, the virtualization software comprising one or more layers of software interfacing between the VMs and the host platform, the virtual computer system further comprising a plurality of physical network interface cards (NICs), the method comprising the steps of:

obtaining access by a NIC manager to the outgoing data frame, the outgoing data frame being provided by one of the VMs, the NIC manager being a component of the virtualization software:

determining receiving, in the NIC manager, NIC management information related to one or more of the plurality of NICs:

determining receiving, in the NIC manager, VM-specific information related to one or more virtual machines (VMs) of the VMs in the virtual computer system; and

based on the NIC management information and the VM-specific information, deciding whether to transfer the data; and

if a decision is made not to transfer the data, discarding the data; or

if a decision is made to transfer the data, then, based on the NIC management information and the VM-specific information, selecting a NIC from the plurality of NICs and transferring the outgoing data frame to the computer network over the selected NIC.

Attv. Docket A33 2 of 29

- (Currently amended) The method of claim 1, in which the VM-specific information indicates an amount of network bandwidth that is allocated to a VM the one of the VMs that provided the outgoing data frame requested the data transfer.
- 3. (Currently amended) The method of elaim 2 claim 67, in which the VM-specific information indicates an allocation to the one of the VMs that provided the outgoing data frame of an amount of network bandwidth and [[a]] the decision is made not to transfer the outgoing data because frame when transferring the outgoing data frame would cause the allocation of network bandwidth the VM's allocation of network bandwidth to be exceeded.
- (Currently amended) The method of claim I, in which the VM-specific information indicates the a priority of the one VM that requested the data-transfer relative to [[the]] priorities of other ones of the VMs virtual machines.
- (Currently amended) The method of claim 1, in which the NIC management information indicates which one or more of the plurality of NICs is available for the transfer of the outgoing data frame.
- (Currently amended) The method of claim 5, in which the NIC management information further indicates a pending data transfer load for each of the available plurality of NICs that are available for the transfer of the outgoing data frame.
- (Currently amended) The method of claim I, in which a load distribution function, based on the NIC management information and the VM specific information, is used in performing the selecting [[a]] of the NIC over which to transfer the outgoing data frame.
 - 8. (Currently amended) The method of claim 7, wherein:

Atty. Docket A33 3 of 29

the one or more VMs comprises at least a first VM and a second VM and the plurality of NICs comprises at least a first NIC and a second NIC; and

in which the load distribution function substantially always routes outgoing data frames provided by a first VM2s data transfer requests are substantially always routed over a first NIC as long as the first NIC is available, and substantially always routes outgoing data frames provided by a second VM2s data transfer requests are substantially always routed over a second NIC as long as the second NIC is available, and routes outgoing data frames provided by but the first VM2s data transfer requests are routed over the second NIC if the first NIC is not available, and routes outgoing data frames provided by the second VM2s data transfer requests are routed over the first NIC if the second NIC is not available.

- 9. (Currently amended) The method of claim 8, in which the <u>outgoing data frames</u> <u>provided by the first VM²s data transfer requests</u> are distinguished from <u>outgoing data frames</u> <u>provided by</u> the second VM²s data transfer requests by reference to a source physical address contained in a header of each outgoing data transfer request frame.
- (Previously presented) The method of claim 1, in which the NIC management information indicates whether a failover is occurring on one of the NICs.
- (Currently amended) The method of claim 10, in which the one VM that has
 requested the data transfer is temporarily suspended if a failover is occurring on the one of the
 NICs.
 - 12. (Canceled.)

Attv. Docket A33 4 of 29

Application 10/665,808 Amendment B (Supplemental)

- (Currently amended) The method of elaim 1 claim 67, wherein, if a decision is made not to transfer the data, a further decision is made whether to suspend the one VM-that requested the data transfer.
- 14. (Currently amended) The method of claim 1, wherein, if a decision is made not to transfer the data, a further decision is made whether to migrate the <u>one</u> VM that requested the data transfer to another computer system.

Claims 15-29 (Canceled.)

30. (Currently amended) A method for responding to requests to transfer <u>outgoing</u> data <u>frames</u> from a virtual computer system to a physical computer network, the virtual computer system comprising a first VM and a second VM, the virtual computer system also comprising a first physical network interface card (NIC) and a second physical NIC for connecting to the computer network, the method comprising the steps of:

determining that <u>one of</u> the <u>first and</u> second <u>physical NICs</u> is not available for transferring data:

determining that $\underline{one\ of}$ the first $\underline{and\ second}\ VM\underline{s}$ has a higher priority than $\underline{an\ other\ of}$ the first and second VMs; and

for each of the outgoing data transfer request frames:

determining which whether the first VM or the second VM within the virtual computer-system is involved in the requested provided the outgoing data transfer frame; and

transferring the outgoing data frame over an available one of physical NICs if the first one of the VMs is involved in the requested having higher priority provided the outgoing data frame; and transfer, transferring the data over the first NIC; or

Attv. Docket A33 5 of 29

discarding the outgoing data frame if the second other of the VMs is involved in the requested provided the outgoing data transfer frame, in response to determining that the second NIC is not available, discarding the data.

Claims 31-48 (Canceled)

- 49. (Currently amended) The method of claim 30, further comprising suspending the second other of the VMs in response to determining that the second one physical NIC is not available.
- (Currently amended) The method of claim 30, further comprising migrating the second other of the VMs to another computer system in response to determining that the second one physical NIC is not available.
- 51. (Currently amended) A computer program embodied in a tangible, computerreadable medium, the computer program performing a method for responding to a request to
 transfer an outgoing data frame from a virtual computer system to a computer network, the
 outgoing data frame comprising at least data to be transmitted and at least one of a layer 2 and
 layer 3 destination address, the virtual computer system comprising one or more virtual machines
 (VMs) executing on a host platform via virtualization software, the virtualization software
 comprising one or more layers of software interfacing between the VMs and the host platform,
 the virtual computer system further comprising a plurality of physical network interface cards
 (NICs), the method comprising the steps of:

obtaining access by a NIC manager to the outgoing data frame, the outgoing data frame being provided by one of the VMs, the NIC manager being a component of the virtualization software:

determining receiving, in the NIC manager, NIC management information related to one or more of the plurality of NICs;

determining receiving, in the NIC manager, VM-specific information related to one or more virtual machines (VMs) of the VMs in the virtual computer system;

based on the NIC management-information and the VM-specific information, deciding whether to transfer the data: and

if a decision is made not to transfer the data, discarding the data; or

if a decision is made to transfer the data, then, based on the NIC management information and the VM-specific information, selecting a NIC from the plurality of NICs and transferring the <u>outgoing</u> data frame to the computer network over the selected NIC.

- (Currently amended) The computer program of claim 51, in which the VMspecific information indicates an amount of network bandwidth that is allocated to a VM one of the VMs that provided the outgoing data frame requested the data transfer.
- 53. (Currently amended) The computer program of elaim 52 claim 69, in which the VM-specific information indicates an allocation to the one of the VMs that provided the outgoing data frame of an amount of network bandwidth and [[a]] the decision is made not to transfer the outgoing data frame when because transferring the outgoing data frame would cause the VM's allocation of network bandwidth to be exceeded.
- (Currently amended) The computer program of claim 51, in which the VM-specific information indicates the a priority of the one VM that requested the data transfer relative to [[thel] priorities of other virtual machines ones of the VMs.
- 55. (Currently amended) The computer program of claim 51, in which the NIC management information indicates which one or more of the available plurality of NICs is available for the transfer of the outgoing data frame.

Atty. Docket A33 7 of 29

- 56. (Currently amended) The computer program of claim 55, in which the NIC management information further indicates a pending data transfer load for each of the available plurality of NICs that are available for the transfer of the outgoing data frame.
- 57. (Currently amended) The computer program of claim 51, in which a load distribution function, based on the NIC management information and the VM-specific information, is used in performing the selecting [[a]] of the NIC over which to transfer the outgoing data frame.
 - 58. (Currently amended) The computer program of claim 57, wherein:

the one or more VMs comprises at least a first VM and a second VM and the plurality of NICs comprises at least a first NIC and a second NIC; and

in which the load distribution function;

substantially always routes outgoing data frames provided by a first VM2-s data transfer requests are substantially always routed over a first NIC as long as the first NIC is available, and;

substantially always routes outgoing data frames provided by a second VM2-s data transfer requests are substantially always routed over a second NIC as long as the second NIC is available[f,];

routes outgoing data frames provided by but the first VM2s data transfer requests are routed over the second NIC if the first NIC is not available[[,]]; and

routes outgoing data frames provided by the second VM2-s data transfer requests are routed over the first NIC if the second NIC is not available.

(Currently amended) The computer program of claim 58, in which the <u>outgoing</u> data frames provided by the first VM's data transfer requests are distinguished from outgoing

Atty. Docket A33 8 of 29

data frames provided by the second VM's data transfer requests by reference referring to a source physical address contained in a header of each outgoing data transfer request frame.

- (Previously presented) The computer program of claim 51, in which the NIC management information indicates whether a failover is occurring on one of the NICs.
- (Currently amended) The computer program of claim 60, in which the one VM that has requested the data transfer is temporarily suspended if a failover is occurring on the one of the NICs.
- 62. (Currently amended) The computer program of elaim 51 claim 69, wherein, if a decision is made not to not transfer the <u>outgoing</u> data <u>frame</u>, a further decision is made whether to suspend the <u>one</u> VM that requested the data transfer.
- 63. (Currently amended) The computer program of elaim 51 claim 69, wherein, if a decision is made not to not transfer the outgoing data frame, a further decision is made whether to migrate the one VM that requested the data transfer to another computer system.
- 64. (Previously presented) A computer program embodied in a tangible, computerreadable medium, the computer program performing a method for responding to requests to transfer <u>outgoing</u> data <u>frames</u> from a virtual computer system to a physical computer network, the virtual computer system comprising a first VM and a second VM, the virtual computer system also comprising a first physical network interface card (NIC) and a second physical NIC for connecting to the computer network, the method comprising:

determining that one of the first and second physical NICs is not available for transferring data;

Attv. Docket A33 9 of 29

determining that <u>one of</u> the first <u>and second VMs</u> has a higher priority than <u>an other of</u> the first and second VMs; and

for each of the outgoing data transfer request frames:

determining which whether the first VM or the second VM within the virtual computer system is involved in the requested provided the outgoing data transfer frame; and

transferring the outgoing data frame over an available one of the physical NICs if the one of the first VMs is involved in the requested having higher priority provided the outgoing data transfer frame, transferring the data over the first NIC; or

discarding the outgoing data frame if the second other of the VMs is involved in the requested provided the outgoing data transfer frame, in response to determining that the second NIC is not available, discarding the data.

- 65. (Currently amended) The computer program of claim 64, wherein the method further eomprising comprises suspending the second other of the VMs in response to determining that the second one physical NIC is not available.
- 66. (Currently amended) The computer program of claim 64, wherein the method further eomprising comprises migrating the second other of the VMs to another computer system in response to determining that the second one physical NIC is not available.
 - 67. (New) The method of claim 1, further comprising:

deciding, based on the NIC management information and the VM-specific information, whether to transfer the outgoing data frame;

discarding the outgoing data frame if a decision is made not to transfer the outgoing data frame; and

performing the transferring of the outgoing data frame only if a decision is made to transfer the outgoing data frame.

Atty. Docket A33 10 of 29

- 68. (New) The method of claim 1, wherein the NIC manager is additionally provided with access to outgoing network frames from components of the virtual computer system other than the VMs.
 - 69. (New) The computer program of claim 51, wherein the method further comprises:

deciding, based on the NIC management information and the VM-specific information, whether to transfer the outgoing data frame;

discarding the outgoing data frame if a decision is made not to transfer the outgoing data frame; and

performing the transferring of the outgoing data frame only if a decision is made to transfer the outgoing data frame.

70. (New) The method of claim 51, wherein the NIC manager is additionally provided with access to outgoing network frames from components of the virtual computer system other than the VMs.